Threatened Fauna of the **Mary River Catchment**

Take steps to protect waterway fauna



Mary River turtle

Mary Kiver turtie
Elusor macrurus
Endangered (EPBC 1999)
Habitat: Occurs only in the
Mary River catchment, in
deep water holes and
undisturbed, slow flowing
sections with partially
submerged rocks and logs on
which to bask.

which to bask.

Threats: Loss of riparian vegetation, decreased water quality, changes in water flow, erosion and siltation, disturbance of eggs.



Coxen's fig-parrot Cyclopsitta diopthalma coxeni Endangered (EPBC 1999)

Habitat: Various forest types with an abundance of fig trees. Threats: Tree clearing, habitat fragmentation

Richmond birdwing

Ornithoptera richmondia Vulnerable (NCA 1992) Habitat: Rainforest environments containing Pararistolochia pravenosa on which its eggs are laid.

Threats: Clearing of lowland rainforests, The exotic weed Dutchman's pipe is mistakenly used to lay eggs on; toxins in the plant kill young caterpillars



Don't pollute waterways



Water mouse Xeromys myoides Rare (NCA 1992) Habitat: Tidal zones. Requires mangroves in which to feed and nearby reedbeds and salt marshes above high tide for burrows. Threats: Coastal development. development, predation by domestic pets and feral animals.





Don't release non-local fauna

Control weeds - early is best

Waterways are

by livestock

sensitive to impacts

species in waterways

Giant barred- frog Mixophyes iteratus Endangered (EPBC

1999)
Habitat: Rocky and deep, slow-moving streams with good riparian vegetation.
Threats: Tree clearing, fungal disease

Cascade treefrog

Litoria pearsonia Endangered (NCA 1992)
Habitat: Found in low vegetation within 1 - 2 m of wet forest streams in ranges of south-east Queensland.
Threats: Fungal disease, loss of riparian vegetation.

Revegetate with local native plants



Queensland lungfish

Vulnerable (EPBC 1999)
Habitat: Endemic to the
Mary and Burnett River
systems only particularly
slow flowing and still
water. Eggs and young
need macrophyte beds.
Threats: Removal of
riparian vegetation,
impoundments, siltation.



Adelotus brevis

Adelotus brevis

Vulnerable (NCA 1992)

Habitat: Rainforests, dry forests
near streams and ponds, farming
areas where creek banks are free
from grazing.

Threats: Tree clearing, fungal







Oxleyan pygmy perch Nannoperca oxleyana Endangered (EPBC 1999)

Endangered (EPBC 1999)
Habitat; Found in coastal waterways
(streams, lagoons) in wallum environments.
Prefer presence of macrophytes and sedges.
Threats: Land clearing and coastal
development have reduced suitable habitats.
Increased nutrients and weed growth also
reduce habitat suitability.

Leave nearstream vegetation intact

Barriers to flow are barriers to fish



Mary River cod Maccullochella peelii mariensis Endangered (EPBC 1999)

Habitat: Deep slow flowing pools with overhanging vegetation or rocks.

Threats: Removal of logs from waterways, siltation and illegal fishing.



Euastacus hystricosus Vulnerable (IUCN 2000)

Threats: Habitat loss, feral animal disturbances





Illidge's ant-blue butterfly

Acrodipsas illidgei Vulnerable (NCA 1992)

Habitat: Mostly Grey mangroves along the coast between Mary and Brunswick River estuaries. Threats: Mangrove loss due to coastal development.



This poster developed by the Mary River Catchment Coordinating Committee with support from: For information contact MRCCC, QPWS or your local Landcare group.



