




1



4



7



2



5



8



3



6



9

<p align="center"><u>Clicking Froglet</u> 7</p> <p>A ground dwelling frog.</p> <p>Size: Up to 2.8 cm</p> <p>Habitat: Wet and dry forests, woodlands, floodplains, near dams, ponds, swamps.</p> <p>Fingers and Toes: Not webbed, no toe pads.</p> <p>Breeding Season: All year</p> <p>Other features: Also called the common eastern froglet. Very variable colouring and dorsal patterns. Common frog, found in rural and urban areas.</p>	<p align="center"><u>Orange-eyed Treefrog</u> 4</p> <p>An arboreal frog.</p> <p>Size: Up to 6 cm</p> <p>Habitat: Rainforests, wet sclerophyll forests, woodlands.</p> <p>Fingers and Toes: Toe and finger pads present. Half-webbing on fingers and toes.</p> <p>Breeding Season: Oct - Feb</p> <p>Other features: Although most of its time is spent in trees, the orange-eyed treefrog comes to the ground to breed in shallow pools that form after heavy rain.</p>	<p align="center"><u>Tusked Frog</u> 1</p> <p>A ground dwelling frog.</p> <p>Size: Up to 5cm, male larger than female.</p> <p>Habitat: Wet eucalypt forest, rainforest near to ponds or slow-moving streams. Can also be found in urban areas near dams or ponds.</p> <p>Fingers and Toes: Not webbed, no toe pads.</p> <p>Breeding Season: Oct - Dec</p> <p>Other features: Both males and females have a pair of tusks that can be seen when the mouth is open. Listed as vulnerable.</p>
<p align="center"><u>Ornate Burrowing Frog</u> 8</p> <p>A ground dwelling frog.</p> <p>Size: Up to 5 cm</p> <p>Habitat: Woodlands, open forests, grasslands, dams, ponds, swamps, rural and urban</p> <p>Fingers and Toes: Slight webbing on toes but none on fingers, no toe pads.</p> <p>Breeding Season: Aug – Mar only after heavy rain.</p> <p>Other features: A common frog. Burrows feet first into soil.</p>	<p align="center"><u>Striped Burrowing Frog</u> 5</p> <p>A ground dwelling frog.</p> <p>Size: Up to 8.5cm, female larger than male.</p> <p>Habitat: Woodlands, grassy and cleared areas, rural and urban.</p> <p>Fingers and Toes: Half webbing or full webbing, no toe pads.</p> <p>Breeding Season: Sep - Feb</p> <p>Other features: Burrows into ground in dry times. Can remain completely inactive for several months by going into partial hibernation and creating a cocoon to help keep in moisture.</p>	<p align="center"><u>Wallum Froglet</u> 2</p> <p>A ground dwelling frog.</p> <p>Size: Up to 1.5cm</p> <p>Habitat: Paperbark (melaleuca) swamps in wallum country.</p> <p>Fingers and Toes: Not webbed, no toe pads.</p> <p>Breeding Season: Any time of year after heavy rainfall.</p> <p>Other features: Similar to clicking froglet. Very variable colouring and dorsal patterns. Listed as vulnerable.</p>
<p align="center"><u>Green-thighed Frog</u> 9</p> <p>A ground dwelling frog.</p> <p>Size: Up to 4 cm</p> <p>Habitat: Rainforest, eucalypt forest, areas where surface water gathers after rain.</p> <p>Fingers and Toes: Fingers not webbed, toes one-third webbed, medium sized finger and toe pads.</p> <p>Breeding Season: Sept – May after heavy rain.</p> <p>Other features: Frogs forage for food in leaf litter.</p>	<p align="center"><u>Northern Banjo Frog</u> 6</p> <p>A ground dwelling frog.</p> <p>Size: Up to 7.5cm</p> <p>Habitat: River flats in grassy open forests and woodlands.</p> <p>Fingers and Toes: Fingers not webbed, toes may have slight webbing, no toe pads.</p> <p>Breeding Season: Oct - May</p> <p>Other features: Also called the Scarlet-sided pobblebonk. Sits in an upright posture similar to a cane toad, and is sometimes mistaken for one. Burrows underground in dry periods.</p>	<p align="center"><u>Striped Marshfrog</u> 3</p> <p>An aquatic and ground dwelling frog.</p> <p>Size: Up to 6.5cm, female larger than male.</p> <p>Habitat: Moist open forest, woodlands, farm dams, ponds, ditches, swamps, rural and urban.</p> <p>Fingers and Toes: Not webbed, no toe pads.</p> <p>Breeding Season: Aug - Mar</p> <p>Other features: A widespread and adaptable frog. Breeding males develop thick arms which they use to wrestle other frogs.</p>



10



13



16



11



14



17



12



15



18

<p>Cooloola Sedgefrog 16</p> <p>An arboreal frog.</p> <p>Size: Up to 3 cm</p> <p>Habitat: Coastal wallum swamps, dry eucalypt forest, rain forest.</p> <p>Fingers and Toes: Toe and finger pads present. Toes fully webbed.</p> <p>Breeding Season: Sept - Feb</p> <p>Other features: Listed as near threatened. Only found along SE Qld coast.</p>	<p>Wallum Rocketfrog 13</p> <p>An ground dwelling frog.</p> <p>Size: Up to 4.5 cm</p> <p>Habitat: Wallum swamps, sandstone heath</p> <p>Fingers and Toes: Small finger and toe pads present, no webbing on fingers, toes half-webbed.</p> <p>Breeding Season: Oct - Feb</p> <p>Other features: Listed as vulnerable</p>	<p>Green Treefrog 10</p> <p>An arboreal frog, but can also be ground dwelling.</p> <p>Size: Up to 10 cm</p> <p>Habitat: Adaptable to most warm, moist environments, both urban and rural.</p> <p>Fingers and Toes: Large finger and toe pads, fingers one-third webbed, toes three-quarters webbed.</p> <p>Breeding Season: Nov - Feb</p> <p>Other features: Has a long lifespan compared with most frogs (16 years in captivity). Green treefrogs scream when they are in danger and can squeak when they are touched.</p>
<p>Beeping Froglet 17</p> <p>A ground dwelling frog.</p> <p>Size: Up to 2.3cm</p> <p>Habitat: Swamps and ponds, hides under logs and debris at the edge.</p> <p>Fingers and Toes: Not webbed, no toe pads.</p> <p>Breeding Season: Aug – Dec, Feb – May</p> <p>Other features: Very variable colouring and dorsal patterns.. Some are smooth skinned, while others have skin folds and warts. Also called eastern sign-bearing froglet.</p>	<p>Eastern Sedgefrog 14</p> <p>An arboreal frog.</p> <p>Size: Up to 3 cm</p> <p>Habitat: Urban and rural. Wide range of habitats. Not found in rainforest.</p> <p>Fingers and Toes: Small finger and toe pads present, toes are three-quarters webbed..</p> <p>Breeding Season: Sept - Feb</p> <p>Other features: Originally found from Cairns to NSW coast, this frog now has established in other areas after being accidentally transported with bananas going to market.</p>	<p>Bleating Treefrog 11</p> <p>An arboreal frog.</p> <p>Size: Up to 6 cm</p> <p>Habitat: Coastal lagoons, ponds, swamps, wet forests, woodlands.</p> <p>Fingers and Toes: Finger and toe pads present, fingers one-third webbed, toes two-thirds webbed.</p> <p>Breeding Season: Sept-Feb</p> <p>Other features: Known for its loud call.</p>
<p>Striped Rocketfrog 18</p> <p>A ground dwelling frog.</p> <p>Size: Up to 5.5 cm</p> <p>Habitat: Swamps, ponds, flooded grasslands, open forest, urban and rural.</p> <p>Fingers and Toes: Small finger and toe pads present, fingers not webbed, toes partially webbed.</p> <p>Breeding Season: Sept-Feb</p> <p>Other features: Very long legs. Can leap 2m (35 times its body length).</p>	<p>Broad Palmed Rocketfrog 15</p> <p>A ground dwelling frog.</p> <p>Size: Up to 4.5 cm, females larger than males</p> <p>Habitat: Open forest, urban and rural areas, near semi-permanent water.</p> <p>Fingers and Toes: Small finger and toe pads present, fingers not webbed, toes webbed.</p> <p>Breeding Season: Oct-Mar</p> <p>Other features: Belly has a granular surface.</p>	<p>Graceful Treefrog 12</p> <p>Both ground and tree dwelling.</p> <p>Size: Up to 4.5 cm</p> <p>Habitat: Urban and rural, wide range of habitats including woodland, rainforest, forest.</p> <p>Fingers and Toes: Finger and toe pads present, fingers three-quarters webbed, toes fully webbed.</p> <p>Breeding Season: Oct-Mar</p> <p>Other features: Call sounds like a long growl. Toes are bright yellow underneath.</p>



19



22



25



20



23



26



21



24



27

<p><u>Emerald Spotted Treefrog</u></p> <p>An arboreal frog. 25</p> <p><u>Size:</u> Up to 7cm, females larger than males.</p> <p><u>Habitat:</u> Wet and dry forest, open areas, urban and rural.</p> <p><u>Fingers and Toes:</u> Finger and toe pads present, fingers slightly webbed, toes webbed.</p> <p><u>Breeding Season:</u> Sept-Dec</p> <p><u>Other features:</u> Pupils have a cross shape. Can colour change quickly, is usually pale green-grey at day and reddish brown with emerald flecks at night.</p>	<p><u>Giant Barred Frog</u></p> <p>Ground dwelling frog. 22</p> <p><u>Size:</u> Up to 12 cm.</p> <p><u>Habitat:</u> Rainforests, wet sclerophyll forests.</p> <p><u>Fingers and Toes:</u> No finger and toe pads, fingers not webbed, toes fully webbed.</p> <p><u>Breeding Season:</u> Sept-Feb</p> <p><u>Other features:</u> Large powerful legs have parallel black bars marked on them. Only breed in streams. Listed as endangered.</p>	<p><u>Wallum Sedgefrog</u></p> <p style="text-align: right; border: 1px solid black; padding: 2px 5px;">19</p> <p>Both ground and tree dwelling.</p> <p><u>Size:</u> Up to 3.4 cm, females larger than males.</p> <p><u>Habitat:</u> Densely vegetated areas in freshwater swamps, wallum swamps, marshes.</p> <p><u>Fingers and Toes:</u> Finger and toe pads present, fingers slightly webbed, toes partly webbed.</p> <p><u>Breeding Season:</u> Sept-Dec</p> <p><u>Other features:</u> Listed as vulnerable.</p>
<p><u>Southern Laughing Treefrog</u></p> <p>An arboreal frog. 26</p> <p><u>Size:</u> Up to 5 cm, females larger than males.</p> <p><u>Habitat:</u> Coastal forest and cleared land around dams, swamps and ponds.</p> <p><u>Fingers and Toes:</u> Finger and toe pads present, partly webbed, toes fully webbed.</p> <p><u>Breeding Season:</u> Sept-Mar</p> <p><u>Other features:</u> Males turn bright yellow during breeding season.</p>	<p><u>Ruddy Treefrog</u></p> <p>An arboreal frog. 23</p> <p><u>Size:</u> Up to 5 cm.</p> <p><u>Habitat:</u> Very wide range of habitats including arid, tropical and temperate climates. Urban and rural.</p> <p><u>Fingers and Toes:</u> Large finger and toe pads present, fingers slightly webbed, toes half webbed.</p> <p><u>Breeding Season:</u> Nov-Mar</p> <p><u>Other features:</u> Also called the naked tree frog because abdomen is almost transparent in young frogs – the abdominal organs can be seen through it.</p>	<p><u>Northern Laughing Treefrog</u></p> <p style="text-align: right; border: 1px solid black; padding: 2px 5px;">20</p> <p>An arboreal frog.</p> <p><u>Size:</u> Up to 6 cm.</p> <p><u>Habitat:</u> Urban and rural, wide range of habitats, near watercourses, swamps, dams, fruit plantations.</p> <p><u>Fingers and Toes:</u> Finger and toe pads present, fingers half webbed, toes nearly fully webbed.</p> <p><u>Breeding Season:</u> Nov-Mar</p> <p><u>Other features:</u> Can colour change from pale grey (daytime) to dark brown (night time) within a couple of hours</p>
<p><u>Cascade Treefrog</u></p> <p>Both ground and tree dwelling. 27</p> <p><u>Size:</u> Up to 4.5 cm</p> <p><u>Habitat:</u> Rainforest gullies, wet sclerophyll forest.</p> <p><u>Fingers and Toes:</u> Large finger and toe pads present, fingers not webbed, toes fully webbed.</p> <p><u>Breeding Season:</u> Sept-Feb</p> <p><u>Other features:</u> Listed as near threatened. Hides under stones at the edge of fast flowing rocky streams.</p>	<p><u>Great Barred Frog</u></p> <p>Ground dwelling frog. 24</p> <p><u>Size:</u> Up to 8 cm.</p> <p><u>Habitat:</u> Rainforests, wet sclerophyll forests.</p> <p><u>Fingers and Toes:</u> No finger and toe pads, fingers not webbed, toes fully webbed.</p> <p><u>Breeding Season:</u> Oct-Dec</p> <p><u>Other features:</u> Large powerful legs have parallel black bars marked on them. Only breed in streams.</p>	<p><u>Eastern Stony Creek Frog</u></p> <p>Ground and tree dwelling. 21</p> <p><u>Size:</u> Females up to 7cm, males up to 4.5 cm.</p> <p><u>Habitat:</u> Dry and moist forests, rivers, pastureland.</p> <p><u>Fingers and Toes:</u> Finger and toe pads present, fingers not webbed, toes webbed.</p> <p><u>Breeding Season:</u> Nov-Mar</p> <p><u>Other features:</u> Males and females are very different in size. Males turn bright yellow during mating season.</p>



Fleay's Barred Frog

28

Ground dwelling frog.

Size: Up to 9 cm.

Habitat: Rainforests, wet sclerophyll forests.

Fingers and Toes: No finger and toe pads, fingers not webbed, toes partly webbed.

Breeding Season: July-Mar

Other features: Large powerful legs have parallel black bars marked on them. Only breed in streams. Listed as endangered.

Copper Backed Broodfrog

29

Ground dwelling frog.

Size: Up to 3 cm.

Habitat: Wet or dry forests

Fingers and Toes: No finger and toe pads, fingers and toes not webbed.

Breeding Season: Sept-Mar

Other features: Also called a toadlet, but is not a toad. Often mistaken for small toads.

Cane Toad

30

Ground dwelling toad.

Size: Up to 15 cm.

Habitat: Wide range of habitats, rural and urban.

Fingers and Toes: No finger and toe pads, fingers not webbed, toes slightly webbed.

Breeding Season: All year

Other features: Not native to Australia. The only toad species that lives in Australia. Has poison glands and poisonous skin. Tadpoles are also toxic to most animals if consumed.